1961 INDEX

SOCIETY OF PETROLEUM ENGINEERS JOURNAL

A

ACOUSTIC VELOCITY LOGGING: effect of rock bulk compressibility on interpretation, SPEJ Dec. ('61), 235; discussion, 246

ALCOHOL: mechanism of displacing oil from porous media, SPEJ Sept. ('61), 195; discussion, 209

ALLEN, E. E., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar. ('61), 43

ANISTROPIC RESERVOIRS: approximate method for determining areal sweep efficiency and flow capacity, SPEJ Dec. ('61), 277

AREAL SWEEP EFFICIENCY: approximate method for determining in formations with anisotropic permeability, SPEJ Dec. ('61), 277

ATTRA, H. D.: *Nonequilibrium Gas Displacement Calculations*, SPEJ Sept. ('61), 130

B

BENNETT, E. O., et al: *Microbial Flora in a Number of Oilfield Water-Injection Systems*, SPEJ June ('61), 71

BITS: stresses caused by loading at center of hole, SPEJ Sept. ('61), 177

BOUNDARY CONDITIONS: fixed: in study of behavior of bounded reservoirs composed of stratified layers, SPEJ Mar. ('61), 43

BOUNDED RESERVOIRS: pressure studies in, SPEJ Dec. ('61), 223

BRADLEY, H. B. et al: *A Potentiometric Study of the Effects of Mobility Ratio on Reservoir Flow Patterns*, SPEJ Sept. ('61), 125

BRIGHAM, W. E., et al: *Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

BUCKLEY-LEVERETT THEORY: use in nonequilibrium gas displacement calculations, SPEJ Sept. ('61), 130

BUILD-UP CURVES: use in study of behavior of bounded reservoirs composed of stratified layers, SPEJ Mar. ('61), 43

BUREAU OF MINES: phase equilibrium apparatus, use in studying multiple liquid phases in a natural gas, SPEJ Sept. ('61), 137

C

CAMPION, F. E.: *Discussion on Effect of Vertical Fractures on Reservoir Behavior — Incompressible Fluid Case*, SPEJ June ('61), 117

CAPACITY: of fracture filled with a partial sand monolayer, SPEJ Sept. ('61), 119

CAPILLARY PRESSURE: effect on linear water flood with gravity, SPEJ Mar. ('61), 32

CARLSON, V., et al: *Microbial Flora in a Number of Oilfield Water-Injection Systems*, SPEJ June ('61), 71

CHEATHAM, J. B., JR. and WILHOIT, J. C., JR.: *Stresses Caused by Bit Loading at the Center of the Hole*, SPEJ Sept. ('61), 177

CLAY: properties of: deflocculation of fractionated montmorillonite by sodium polyphosphates, SPEJ Dec. ('61), 229

COMPOSITE RESERVOIR: pressure drop in, SPEJ Sept. ('61), 170

COMPRESSIBILITY: rock bulk: effect on velocity-log interpretation, SPEJ Dec. ('61), 235; discussion, 246

COMPUTERS: digital: IBM 650 used to calculate performance of solution-gas-drive reservoirs, SPEJ Sept. ('61), 142

LM-10: study of gas reservoirs subject to water drive on electronic differential analyzer, SPEJ Dec. ('61), 287

CONDUCTIVITY: thermal: of porous rocks filled with stagnant fluid, SPEJ Mar. ('61), 37

CORRELATIONS: of surface and interfacial tension of light hydrocarbons in critical region, SPEJ Dec. ('61), 259

COTMAN, N. T., et al: *A Study of Flow in Stratified Reservoirs by Use of the Thermal Analogy*, SPEJ Dec. ('61), 215

CRANE, F. E. and DOWNIE, J.: *Effect of Viscosity on Relative Permeability*, SPEJ June ('61), 59

CRAWFORD, P. B., et al: *A Study of Flow in Stratified Reservoirs by Use of the Thermal Analogy*, SPEJ Dec. ('61), 215

CRITICAL REGION: correlation of surface and interfacial tension of light hydrocarbons in, SPEJ Dec. ('61), 259

D

DEFLOCCULATION: of fractionated montmorillonite by sodium polyphosphates, SPEJ Dec. ('61), 229

DEPLETION PERFORMANCE: effect of oil production rate of wells producing from more than one horizon, SPEJ Mar. ('61), 26

DEPPE, J. C.: *Injection Rates—The Effect of Mobility Ratio, Area Swept and Pattern*, SPEJ June ('61), 81

DEVANEY, W. E., et al: *Multiple Liquid Phases in a Natural-Gas System*, SPEJ Sept. ('61), 137

DEW, J. N., et al: *Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

DISPLACEMENT MECHANISM: *See also* Miscible Displacement

nonequilibrium gas: calculations of, SPEJ Sept. ('61), 130

oil by alcohol from porous media, SPEJ Sept. ('61), 195; discussion, 209

oil by gas, analysis of, SPEJ June ('61), 92; discussion, 102

DISSOLVED-GAS DRIVE: *See* Solution-Gas Drive

DOWNIE, J. and CRANE, F. E.: *Effect of Viscosity on Relative Permeability*, SPEJ June ('61), 59

DRILLING: stresses caused by bit-loading at center of hole, SPEJ Sept. ('61), 177

F

FAYERS, F. J. and HOVANESSIAN, S. A.: *Linear Water Flood with Gravity and Capillary Effects*, SPEJ Mar. ('61), 32

FLORA: microbial: found in oilfield water-injection systems, SPEJ June ('61), 71

FLOW CAPACITY: approximate method for determining in formations with anisotropic permeability, SPEJ Dec. ('61), 277

FLOW STABILITY: development of theory for miscible liquid-liquid displacement, SPEJ Mar. ('61), 17

use to optimize solvent-oil recovery, SPEJ Mar. ('61), 9

FLUID FLOW: gas: non-steady state in porous media, approximate method for computing, SPEJ Dec. ('61), 264

in heterogeneous porous media, SPEJ Sept. ('61), 153

imbibition model: application of, SPEJ June ('61), 61

incompressible: effect of vertical fractures on reservoir behavior, SPEJ June ('61), 105; discussion, 117

maximum capacity of fracture, effect of propping agent concentration, SPEJ Sept. ('61), 119

study in stratified reservoirs by use of thermal analogy, SPEJ Dec. ('61), 215

three-phase imbibition relative permeability, SPEJ Dec. ('61), 254

FORMATION FRACTURES: sand concentration for maximum fracture flow capacity, SPEJ Sept. ('61), 119

vertical: effect on reservoir behavior, incompressible fluid case, SPEJ June ('61), 105; discussion, 117

FRACTURED RESERVOIRS: *See* Formation Fractures

G

GARDER, A. O. JR. and STONE, H. L.: *Analysis of Gas-Cap or Dissolved-Gas Drive Reservoirs*, SPEJ June ('61), 92; discussion, 102

GAS: *See also* Natural Gas

nonequilibrium: displacement calculations for, SPEJ Sept. ('61), 130

non-steady-state flow in porous media, approximate method for computing, SPEJ Dec. ('61), 264

GAS-CAP DRIVE: reservoir analysis of, SPEJ June ('61), 92; discussion, 102

GAS RESERVOIRS: subject to water drive, study on electronic differential analyzer, SPEJ Dec. ('61), 287

GATLIN, C.: *Discussion on Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept. ('61), 209

GEERSTMA, J.: *Velocity-Log Interpretation: The Effect of Rock Bulk Compressibility*, SPEJ Dec. ('61), 235; discussion, 246

GRAVITY: effect on linear water flood with capillary effects, SPEJ Mar. ('61), 32

GUERRERO, E. T. and LOUCKS, T. L.: *Pressure Drop in a Composite Reservoir*, SPEJ Sept. ('61), 170

H

HAZEBROEK, P., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar. ('61), 43

HEAT OF REACTION: of sandstone, SPEJ Dec. ('61), 249

HEAT TRANSFER: character of porous rocks filled with stagnant fluid, SPEJ Mar. ('61), 37

in porous rocks, SPEJ Dec. ('61), 249

HELLER, J. P.: *Discussion on Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Sept. ('61), 213

HELLER, J. P., et al: *A Potentiometric Study of the Effects of Mobility Ratio on Reservoir Flow Patterns*, SPEJ Sept. ('61), 125

HENDERSON, J. H. and NAAR, J.: *An Imbibition Model—Its Application to Flow Behavior and the Prediction of Oil Recovery*, SPEJ June ('61), 61

HENSON, W. L., et al: *A Numerical Solution to the Unsteady-State Partial-Water-Drive Reservoir Performance Problem*, SPEJ Sept. ('61), 184

HOUGH, E. W. and STEGEMEIER, G. L.: *Correlation of Surface and Interfacial Tension of Light Hydrocarbons in the Critical Region*, SPEJ Dec. ('61), 259

HOVANESSIAN, S. A.: *Pressure Studies in Bounded Reservoirs*, SPEJ Dec. ('61), 223

HOVANESSIAN, S. A. and FAYERS, F. J.: *Linear Water Flood with Gravity and Capillary Effects*, SPEJ Mar. ('61), 32

I

IMBIBITION: three-phase relative permeability, SPEJ Dec. ('61), 254

INJECTION: *See* Water Flooding

INJECTION RATE: effect of mobility ratio, area swept, and pattern, SPEJ June ('61), 81

INTERFACIAL TENSION: correlation of light hydrocarbons in critical region, SPEJ Dec. ('61), 259

J

JESSEN, F. W. and TURAN, F. H.: *Deflocculation of Fractionated Montmorillonite by Sodium Polyphosphates*, SPEJ Dec. ('61), 229

JONES, L. G.: *An Approximate Method for Computing Non-Steady-State Flow of Gases in Porous Media*, SPEJ Dec. ('61), 264

K

KAMATH, I. S. K., et al: *Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept. ('61), 195; discussion, 209

KATZ, D. L., et al: *Study of Gas Reservoirs Subject to Water Drive on Electronic Differential Analyzer*, SPEJ Dec. ('51), 287

KUNII, D. and SMITH, J. M.: *Thermal Conductivities of Porous Rocks Filled with Stagnant Fluid*, SPEJ Mar. ('61), 37

L

LEFKOVITS, H. C. et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar. ('61), 43

LEVINE, J. S. and PRATS, M.: *The Calculated Performance of Solution-Gas-Drive Reservoirs*, SPEJ Sept. ('61), 142

LIQUIDS: multiple phases in a natural gas system, SPEJ Sept. ('61), 137

LOUCKS, T. L. and GUERRERO, E. T.: *Pressure Drop in a Composite Reservoir*, SPEJ Sept. ('61), 170

M

MARTIN, J. C.: *Discussion on Analysis of Gas-Cap or Dissolved-Gas Drive Reservoirs*, SPEJ June ('61), 102

MATTHEWS, C. S., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar. ('61), 43

MICROBIAL FLORA: in oilfield water-injection systems, SPEJ June ('61), 71

MILLER, J. E., et al: *Multiple Liquid Phases in a Natural-Gas System*, SPEJ Sept. ('61), 137

MISCIBLE DISPLACEMENT: experiments on mixing in porous media, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

liquid-liquid: development of stability theory, SPEJ Mar. ('61), 17

oil by alcohol from porous media, SPEJ Sept. ('61), 195; discussion, 209

use of stability theory to optimize, SPEJ Mar. ('61), 9

MIXING: experiments on, during miscible displacement in porous media, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

MOBILITY RATIO: effect on injection rates in multifluid floods, SPEJ June ('61), 81

potentiometric study of effects on reservoir flow patterns, SPEJ Sept. ('61), 125

MODELS: heat conduction; study of flow in stratified reservoirs, SPEJ Dec. ('61), 215

imbibition: application to flow behavior and the prediction of oil recovery, SPEJ June ('61), 61

potentiometric, conductive cloth: study of the effects of mobility ratio on reservoir flow patterns, SPEJ Sept. ('61), 125

theoretical: of consolidated porous medium, three-phase relative permeability, SPEJ Dec. ('61), 254

three dimensional: used to study flow in heterogeneous porous media, SPEJ Sept. ('61), 153

MONTMORILLONITE: fractionated: deflocculation by sodium polyphosphates, SPEJ Dec. ('61), 229

MORTADA, M. and NABOR, G. W.: *An Approximate Method for Determining Areal Sweep Efficiency and Flow Capacity in Formation with Anisotropic Permeability*, SPEJ Dec. ('61), 277

MULTIPLE ZONES: effect of oil production rate on performance of producing wells, SPEJ Mar. ('61), 26

N

NAAR, J. and HENDERSON, J. H.: *An Imbibition Model—Its Application to Flow Behavior and the Prediction of Oil Recovery*, SPEJ June ('61), 61

NAAR, J. and WYGAL, R. J.: *Three-Phase Imbibition Relative Permeability*, SPEJ Dec. ('61), 254

NABOR, G. W. and MORTADA, M.: *An Approximate Method for Determining Areal Sweep Efficiency and Flow*

Capacity in Formation with Anisotropic Permeability, SPEJ Dec. ('61), 277

NATURAL GAS: multiple liquid phases in, SPEJ Sept. ('61), 137

NUMERICAL SOLUTION: linear water flood with gravity and capillary effects, SPEJ Mar. ('61), 32

to unsteady-state partial-water-drive reservoir-performance problem, SPEJ Sept. ('61), 184

O

ODEH, A. S.: *Discussion on Effect of Viscosity on Relative Permeability*, SPEJ June ('61), 59

ODEH, A. S., et al: *A Potentiometric Study of the Effects of Mobility Ratio on Reservoir Flow Patterns*, SPEJ Sept. ('61), 125

OIL FIELDS: water injection system: microbial flora found therein, SPEJ June ('61), 71

OIL PRODUCTION: effect of rate on performance of wells producing from more than one horizon, SPEJ Mar. ('61), 26

OIL RECOVERY: prediction by an imbibition model, SPEJ June ('61), 61

ORGANISMS: found in oilfield water-injection systems, SPEJ June ('61), 71

OUTMANS, H. D.: *Discussion on Stability Theory and Its Use to Optimize Solvent Recovery of Oil*, SPEJ Dec. ('61), 299

P

PERFORMANCE PREDICTIONS: calculated: solution gas-drive reservoirs, SPEJ Sept. ('61), 142

effect of vertical fractures, incompressible fluid case, SPEJ June ('61), 105; discussion, 117

in heterogeneous porous media, SPEJ Dec. ('61), 277

partial water-drive reservoir: a numerical solution to unsteady-state problem, SPEJ Sept. ('61), 184

PERMEABILITY: anisotropic: approximate method for determining areal sweep efficiency and flow capacity in formations with, SPEJ Dec. ('61), 264

from pressure build-up curves, studies in bounded reservoirs, SPEJ Dec. ('61), 223

relative: effect of viscosity on, SPEJ June ('61), 59

imbibition in consolidated rock, SPEJ June ('61), 61

three-phase imbibition, SPEJ Dec. ('61), 254

stratified: study of the behavior of bounded reservoirs, SPEJ Mar. ('61), 43

study of flow by use of thermal analogy, SPEJ Dec. ('61), 215

two concentric regions: pressure drop in a composite reservoir, SPEJ Sept. ('61), 170

PERRINE, R. L.: *Stability Theory and Its Use to Optimize Solvent Recovery of Oil*, SPEJ Mar. ('61), 9; discussion, Dec. ('61), 299

The Development of Stability Theory for Miscible Liquid-Liquid Displacement, SPEJ Mar. ('61), 17

PHASE BEHAVIOR: multiple liquid phases in a natural-gas system, SPEJ Sept. ('61), 137

nonequilibrium gas displacement calculations, SPEJ Sept. ('61), 130

PICKERING, C. H., et al: *A Study of Flow in Stratified Reservoirs by Use of the Thermal Analogy*, SPEJ Dec. ('61), 215

POLYPHOSPHATES: sodium, deflocculation of fractionated montmorillonite by, SPEJ Dec. ('61), 229

POROUS MEDIA: approximate method for computing non-steady-state flow of gases, SPEJ Dec. ('61), 264

effect of rock bulk compressibility on velocity-log interpretation, SPEJ Dec. ('61), 235; discussion, 246

experiments on mixing during miscible displacement, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

heterogeneous, flow in, SPEJ Sept. ('61), 153

mechanism of alcohol displacement of oil, SPEJ Sept. ('61), 195; discussion, 209

thermal conductivities of rocks filled with stagnant fluid, SPEJ Mar. ('61), 37

thermal expansion and heat of reaction data for, SPEJ Dec. ('61), 249

three-phase imbibition relative permeability, SPEJ Dec. ('61), 254

PRATS, M.: *Effect of Vertical Fractures on Reservoir Behavior —Incompressible Fluid Case*, SPEJ June ('61), 105; discussion, 117

PRATS, M. and LEVINE, J. S.: *The Calculated Performance of Solution-Gas-Drive Reservoirs*, SPEJ Sept. ('61), 142

PRESSURE DISTRIBUTIONS: steady state: in nine-spot pattern for single fluid injection, SPEJ June ('61), 81

studies in bounded reservoirs, SPEJ Dec. ('61), 223

PRESSURE DROP: in a composite reservoir, SPEJ Sept. ('61), 170

PRESSURE MAINTENANCE: *See* Water Flooding

PRICE, H. S. and WARREN, J. E.: *Flow in Heterogeneous Porous Media*, SPEJ Sept. ('61), 153

PRODUCTION: oil: effect of rate on performance of wells producing from more than one horizon, SPEJ Mar. ('61), 26

PROPPING AGENT: concentration for maximum fracture flow capacity, SPEJ Sept. ('61), 119

R

REED, P. W. et al: *Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

REED, R. L. et al: *Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept. ('61), 195; discussion, 209

RELATIVE PERMEABILITY: effect of viscosity on, SPEJ June ('61), 59

imbibition in consolidated rock, SPEJ June ('61), 61

three-phase imbibition, SPEJ Dec. ('61), 254

RESERVOIR ANALYSIS: effect of vertical fractures, incompressible fluid case, SPEJ June ('61), 105; discussion, 117

RESERVOIR PRESSURE: studies in bounded reservoirs, SPEJ Dec. ('61), 223

RESERVOIRS: composite: pressure drop in, SPEJ Sept. ('61), 170

stratified: a study of the behavior of bounded reservoirs, SPEJ Mar. ('61), 43

RICE, J. D., et al: *A Numerical Solution to the Unsteady-State Partial-Water-Drive Reservoir Performance Problem*, SPEJ Sept. ('61), 184

ROMERO-JUAREZ, A.: *Sand Concentration for Maximum Fracture Flow Capacity*, SPEJ Sept. ('61), 119

ROWE, J. A. JR., et al: *Microbial Flora in a Number of Oilfield Water-Injection Systems*, SPEJ June ('61), 71

S

SECONDARY RECOVERY: *See also* Miscible Displacement and Water Flooding

use of stability theory in solvent-oil recovery, SPEJ Mar. ('61), 9

SELIM, M. A. and SOMERTON, W. H.: *Additional Thermal Data for Porous Rocks—Thermal Expansion and Heat of Reaction*, SPEJ Dec. ('61), 249

SMITH, J. M. and KUNII, D: *Thermal Conductivities of Porous Rocks Filled with Stagnant Fluid*, SPEJ Mar. ('61), 37

SOLUTION-GAS DRIVE: calculated performance of reservoirs, SPEJ Sept. ('61), 142

reservoir analysis of, SPEJ June ('61), 92

SOLVENT FLOODINGS: development of stability theory for miscible liquid-liquid displacement, SPEJ Mar. ('61), 17

use to optimize recovery of oil, SPEJ Mar. ('61), 9

SOMERTON, W. H. and SELIM, M. A.: *Additional Thermal Data for Porous Rocks—Thermal Expansion and Heat of Reaction*, SPEJ Dec. ('61), 249

STABILITY THEORY: development for miscible liquid-liquid displacement, SPEJ Mar. ('61), 17

use to optimize solvent recovery of oil, SPEJ Mar. ('61), 9

STEGEMEIER, G. L. and HOUGH, E. W.: *Correlation of Surface and Interfacial Tension of Light Hydrocarbons in the Critical Region*, SPEJ Dec. ('61), 259

STONE, H. L. and GARDER, A. O., JR.: *Analysis of Gas-Cap or Dissolved-Gas Drive Reservoirs*, SPEJ June ('61), 92; discussion, 102

STRATIFICATION: *See* Permeability, Stratified

STRESSES: caused by bit loading at center of hole, SPEJ Sept. ('61), 177

STROUD, L., et al: *Multiple Liquid Phases in a Natural-Gas System*, SPEJ Sept. ('61), 137

SURFACE TENSION: correlation of light hydrocarbons in critical region, SPEJ Dec. ('61), 259

SWEEP EFFICIENCY: areal (pattern): five-spot, potentiometric study of effects of mobility ratio, SPEJ Sept. ('61), 125

T

TABER, J. J., et al: *Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept. ('61), 195; discussion, 209

TEK, M. R., et al: *Study of Gas Reservoir Subject to Water Drive on Electronic Differential Analyzer*, SPEJ Dec. ('61), 287

TEMPELAAR-LIETZ, W.: *Effect of Oil Production Rate on Performance of Wells Producing from More Than One Horizon*, SPEJ Mar. ('61), 26

THERMAL ANALOGY: use in study of flow in stratified reservoirs, SPEJ Dec. ('61), 215

THERMAL PROPERTIES: conductivities of porous rocks filled with stagnant fluid, SPEJ Mar. ('61), 37

expansion of sandstone, SPEJ Dec. ('61), 249

TUMAN, V. S.: *Discussion on Velocity-Log Interpretation: The Effect of Rock Bulk Compressibility*, SPEJ Dec. ('61), 246

TURAN, F. H. and JESSEN, F. W.: *Deflocculation of Fractionated Montmorillonite by Sodium Polyphosphates*, SPEJ Dec. ('61), 229

V

VELOCITY LOGGING: *See* Acoustic Velocity Logging

VISCOSITY: oil: effect on relative permeability, SPEJ June ('61), 59

VISCOSITY RATIO: in experiments on mixing during miscible displacement in porous media, SPEJ Mar. ('61), 1; discussion, Sept. ('61), 213

W

WARREN, J. E. and PRICE, H. S.: *Flow in Heterogeneous Porous Media*, SPEJ Sept. ('61), 153

WATER DRIVE: of gas reservoirs, study on electronic differential analyzer, SPEJ Dec. ('61), 287

partial: a numerical solution to the unsteady-state reservoir performance problem, SPEJ Sept. ('61), 184

WATER FLOODING: approximate equations for predicting injection rates in multifluid floods, SPEJ June ('61), 81

linear: with gravity and capillary effects, SPEJ Mar. ('61), 32

microbial flora found in oilfield water-injection systems, SPEJ June ('61), 71

oil recovery by imbibition, SPEJ June ('61), 61

WEARDEN, P. L., et al: *A Numerical Solution to the Unsteady-State Partial-Water-Drive Reservoir Performance Problem*, SPEJ Sept. ('61), 184

WELL PATTERN: effect on injection rates in multifluid floods, SPEJ June ('61), 81

five-spot: potentiometric study of effects of mobility ratio, SPEJ Sept. ('61), 125

WILHOIT, J. C. JR., and CHEATHAM, J. B. JR.: *Stresses Caused by Bit Loading at the Center of the Hole*, SPEJ Sept. ('61), 177

WYGAL, R. J., and NAAR, J.: *Three-Phase Imbibition Relative Permeability*, SPEJ Dec. ('61), 254

Y

YOO, H. D., et al: *Study of Gas Reservoirs Subject to Water Drive on Electronic Differential Analyzer*, SPEJ Dec. ('61), 287

Editor's Note: For economy of space, the abbreviation "SPEJ" is used in this index. The official abbreviation for the publication is "Soc. Pet. Eng. Jour." and we urge that it be used in references instead of this more abbreviated form.